

PRECAUTIONS - PMU

BEFORE TREATMENT

- WE DO NOT WORK WITH WHOM UNDER THE INFLUENCE, DRUGS OR ALCOHOL
- AVOID ALCOHOL AND CAFFEINE 1 DAY BEFORE PROCEDURE TO MINIMIZE ANY OOZING, BLEEDING OR SWELLING.
- DO NOT TAKE COUMADIN, ASPIRIN, IBUPROFEN, NIACIN, FISH OIL OR VITAMIN E 3 DAYS PRIOR TO PROCEDURE. PLEASE CONSULT WITH YOUR PHYSICIAN BEFORE STOPPING ANY PRESCRIBED MEDICAL TREATMENTS.
- WHO WITH SUN BURNED, IRRITATED AND AREAS WITH OPEN SKIN CAN NOT BE WORKED (WILL CAUSE EXCESSIVE BLEEDING).
- RETINOL/RETIN-A MUST BE DISCONTINUED 7 DAYS PRIOR TO PROCEDURE.
- INJECTIONS (BOTOX, RADIESSE, JUVADERM, VOLUMA, ETC.) MUST BE DONE AT LEAST 2 WEEKS BEFORE PROCEDURE.
- CHEMICAL PEELS AND LASER TREATMENTS MAY NOT BE DONE WITHIN 60 DAYS BEFORE OR AFTER PROCEDURE.
- THE USE OF LATISSE® MUST BE DISCONTINUED AT LEAST 3 MONTHS PRIOR TO YOUR EYELINER PROCEDURE (IT CREATES AN INFLAMMATORY RESPONSE, CAUSES EXCESS BLEEDING, AND PROHIBITS THE EYELINER FROM HEALING WELL).
- DO NOT SCHEDULE THIS PROCEDURE WITHIN ONE WEEK PRIOR TO A VACATION.
- **[LIPS] IF YOU HAVE HERPES LABIALIS, GET A ANTI-VIRUS CREAM (EX. ZOVIRAX) OR PRESCRIPTION FROM YOUR DOCTOR**

AFTER TREATMENT

- CAN NOT EXPOSE THE AREA TO THE SUN FOR 30 DAYS
- STAY OUT OF STEAM ROOMS, SAUNAS, HOT YOGA, SWIMMING POOL, ETC. FOR ONE WEEK
- INJECTIONS (BOTOX, RADIESSE, JUVADERM, VOLUMA, ETC.) MUST BE DONE AT LEAST 2 WEEKS AFTER PROCEDURE
- DRY ON THE DAY, AND AFTER THAT, MOISTURIZE LIGHTLY EVERY DAY WITH A CREAM OR A BALM.

CONTRAINDICATIONS

- PREGNANCY
- NURSING
- DIABETES TYPE 1
- LUPUS
- HEPATITIS B/C
- AIDS
- ACTIVE SKIN DISORDERS: COLD SORES, SHINGLES, IMPETIGO, PSORIASIS, PINK EYE, SUN BURN, SEVERE
- ACNE
- ACTIVE VITILIGO
- ROSACEA
- BLOOD DISORDERS: SICKLE CELL, HEMOPHILIA
- KELOID FORMATION
- MENTAL DISORDERS
- ACCUTANE (MUST BE OFF FOR 6 MONTHS)
- STEROIDS (MUST BE OFF FOR 6 MONTHS)
- HISTORY OF MRSA OR STAPH INFECTIONS
- WE ARE PROHIBITED FROM TATTOOING OVER MOLES